


FIG. 1

Serial No. 09/997,894 Filed: November 30, 2001 Atty. Docket 922/63690




Ratio images of the substantia nigra pars compacta (SNc) after automated segmentation of the WMS images of the cerebral peduncle.

FIG. 2

Serial No. 09/997,894 Filed: November 30, 2001 Atty. Docket 922/63690

Progressive Supranuclear Palsy (PSP)



Imaging of the substantia nigra pare compacta (SNc) in Progressive Supranuclear Palsy (PSP). The left column shows the (WMS / GMS) ratio images of upper and lower slices and the right hand side displays the SNc segmented from the WMS images of the cerebral peduncie. Images are displayed using the pseudo color lookup table on the right. Note that the gradient of signal is in the opposite direction to that seen in Parkinson's dispase (i.e. there is relative loss of signal medially). This suggests the possibility of distinguishing the two forms of parkinsonism radiographically.

Lower (WMS / GMS)


Ratio image

Segmented SNc

(Lower Slice)

Serial No. 09/997,894 Filed: November 30, 2001 Any. Docket 922/63690

REPLACEMENT SHEET



Serial No. 09/997,894 Filed: November 30, 2001 Anv. Docket 922/63690




Fig. 5

Serial No. 09/997,894 Filed: November 30, 2001 Anv. Docket 922/63690




Fig. 6

Serial No. 09/997,894 Filed: November 30, 2001 Attv. Docket 922/63690




Fig. 7

Serial No. 09/997,894 Filed: November 30, 2001 Any. Docket 922/63690




Fig. 8